



# FOX LV5200

## LOW VOLTAGE BATTERIES



### Long Life

Rated life span of more than 6000 cycles.



### Expandable

Storage capacity is expandable to 20.48kWh.



### High Efficiency

98% charge/discharge efficiency.



### Easy Installation

Easy, plug and play installation.



**Low Voltage**



**Easy Installation**



**High Efficiency**



**Expandable System**



**90% DoD**

The LV5200 are high-performance, scalable, low-voltage battery storage modules.

- 98% Charge/Discharge Efficiency
- 90% Depth of Discharge
- Wide Temperature Tolerance
- Easy Installation
- >6000 Life Cycles
- CAN/RS485 Communication
- Low Voltage



# FOX LV5200

## BATTERY MODULES

SPECIFICATIONS	LV5200
Nominal Capacity (kWh)	5.12
Nominal Voltage (V)	51.2
Operating Voltage Range (V)	43.2 - 57.6
Depth of Discharge (%)	90
Roundtrip Efficiency (%)	>99%
Nominal Charge Current (A)	100
Nominal Discharge Current (A)	100
Max. Charge Current (A) (30s)	105
Max. Discharge Current (A) (30s)	150
Charge/Discharge Efficiency (%)	98%
Operating Temperature (°C)	-10 - 50°C
Storage Temperature (°C)	-20 - 60°C
Humidity (%)	4% to 100% condensing
Protection Level	IP21
Cycle Life	≥6000
Safety	CE, RCM, TUV (IEC62619) ULI973, ROHS
EMC	IEC-61000-6-1/3
UN Number	UN3840
Weight (kg)	49
Dimensions (H*W*D) (mm)	600*342*207

